


## Accessories


### Sealing Gasket

### O-Ring Standard O-ring




| Part No.  | WG Type<br>EIA | Dimensions<br>(Φ1XΦ2) | Part No.  | WG Type<br>EIA | Dimensions<br>(Φ1XΦ2) |
|-----------|----------------|-----------------------|-----------|----------------|-----------------------|
| SH-32MFOA | WR284          | 101X5.4               | SH-120MFO | WR75           | 28X2.6                |
| SH-40MFOA | WR229          | 82X5.4                | SH-140MFO | WR62           | 23.5X2.6              |
| SH-48MFOA | WR187          | 68.5X3.5              | SH-180MFO | WR51           | 20X2.4                |
| SH-70MFOA | WR137          | 53X3.5                | SH-220MFO | WR42           | 15.5X1.8              |
| SH-84MFO  | WR112          | 40X2.6                | SH-320MFO | WR28           | 10.5X1.8              |
| SH-100MFO | WR90           | 33X2.6                |           |                |                       |

### Special O-ring



| Part No.     | Dimensions<br>(Φ1XΦ2) | Part No.     | Dimensions<br>(Φ1XΦ2) |
|--------------|-----------------------|--------------|-----------------------|
| SH-MFO56.82  | 56.82X2.62            | SH-MFO199.98 | 199.98X2.62           |
| SH-MFO78.38  | 78.38X2.62            | SH-MFO284.84 | 284.84X3              |
| SH-MF101.3   | 101.3X3.53            | SH-MFO321.06 | 321.06X3              |
| SH-MFO114.4  | 114.4X3.1             | SH-MFO321.4  | 321.4X3               |
| SH-MFO120.94 | 120.94X2.62           | SH-MFO331    | 331X3                 |
| SH-MFO124.5  | 124.5X3               | SH-MFO422.1  | 422.1X3               |
| SH-MFO143.8  | 143.8X3               | SH-MFO463.4  | 463.4X3               |
| SH-MFO146.68 | 146.68X2.62           | SH-MFO486.2  | 486.2X3               |
| SH-MFO162.7  | 162.7X3               | SH-MFO493.6  | 493.6X3               |
| SH-MFO164.28 | 164.28X3              | SH-MFO499.5  | 499.5X3.53            |
| SH-MFO194.38 | 194.38X3              | SH-MFO539.1  | 539.1X3.53            |


### D-Ring Standard D-Ring



| Part No.  | WG Type<br>EIA | Dimensions<br>(L*W*H) | Part No.   | WG Type<br>EIA | Dimensions<br>(L*W*H) |
|-----------|----------------|-----------------------|------------|----------------|-----------------------|
| SH-14MFD  | WR650          | 174.8X92.2X8.5        | SH-58MFDL  | WR159          | 45.5X25.5X3.5         |
| SH-18MFD  | WR510          | 136X72X5              | SH-70MFD   | WR137          | 41.2X22.2X4.9         |
| SH-22MFDT | WR430          | 117X63X5              | SH-70MFDL  | WR137          | 39X20.5X3.53          |
| SH-26MFDL | WR340          | 94X51.5X5             | SH-84MFD   | WR112          | 4.9X19X4.93           |
| SH-32MFDL | WR284          | 77X75.5X3.5           | SH-84MFDL  | WR112          | 4.9X19X3.3            |
| SH-32MFD  | WR284          | 79.4X41.3X3.5         | SH-100MFD  | WR90           | 28.6X15.9X4.9         |
| SH-40MFDL | WR229          | 63X34.5X3.5           | SH-100MFDL | WR90           | 28X15.5X3.5           |
| SH-48MFDL | WR187          | 53.9X28.5X3.5         | SH-140MFD  | WR62           | 20.6X12.7X4.9         |
| SH-58MFD  | WR159          | 46.7X26.5X4.9         |            |                |                       |

## Accessories

### Waveguide Adjustable Support



#### ELECTRICAL CHARACTERISTICS:


| Part No.  | WG Type<br>EIA | Dimensions<br>( $\Phi 1 \times \Phi 2$ ) | Part No.  | WG Type<br>EIA | Dimensions<br>( $\Phi 1 \times \Phi 2$ ) |
|-----------|----------------|------------------------------------------|-----------|----------------|------------------------------------------|
| SH-32MFOA | WR284          | 101X5.4                                  | SH-120MFO | WR75           | 28X2.6                                   |
| SH-40MFOA | WR229          | 82X5.4                                   | SH-140MFO | WR62           | 23.5X2.6                                 |
| SH-48MFOA | WR187          | 68.5X3.5                                 | SH-180MFO | WR51           | 20X2.4                                   |
| SH-70MFOA | WR137          | 53X3.5                                   | SH-220MFO | WR42           | 15.5X1.8                                 |
| SH-84MFO  | WR112          | 40X2.6                                   | SH-320MFO | WR28           | 10.5X1.8                                 |
| SH-100MFO | WR90           | 33X2.6                                   |           |                |                                          |

#### ELECTRICAL CHARACTERISTICS:

| Part No.     | Dimensions<br>( $\Phi 1 \times \Phi 2$ ) | Part No.     | Dimensions<br>( $\Phi 1 \times \Phi 2$ ) |
|--------------|------------------------------------------|--------------|------------------------------------------|
| SH-MFO56.82  | 56.82X2.62                               | SH-MFO199.98 | 199.98X2.62                              |
| SH-MFO78.38  | 78.38X2.62                               | SH-MFO284.84 | 284.84X3                                 |
| SH-MF101.3   | 101.3X3.53                               | SH-MFO321.06 | 321.06X3                                 |
| SH-MFO114.4  | 114.4X3.1                                | SH-MFO321.4  | 321.4X3                                  |
| SH-MFO120.94 | 120.94X2.62                              | SH-MFO331    | 331X3                                    |
| SH-MFO124.5  | 124.5X3                                  | SH-MFO422.1  | 422.1X3                                  |
| SH-MFO143.8  | 143.8X3                                  | SH-MFO463.4  | 463.4X3                                  |
| SH-MFO146.68 | 146.68X2.62                              | SH-MFO486.2  | 486.2X3                                  |
| SH-MFO162.7  | 162.7X3                                  | SH-MFO493.6  | 493.6X3                                  |
| SH-MFO164.28 | 164.28X3                                 | SH-MFO499.5  | 499.5X3.53                               |
| SH-MFO194.38 | 194.38X3                                 | SH-MFO539.1  | 539.1X3.53                               |

## D-Ring

### Standard D-Ring




#### ELECTRICAL CHARACTERISTICS:

| Part No.  | WG Type<br>EIA | Dimensions<br>(L*W*H) | Part No.   | WG Type<br>EIA | Dimensions<br>(L*W*H) |
|-----------|----------------|-----------------------|------------|----------------|-----------------------|
| SH-14MFD  | WR650          | 174.8X92.2X8.5        | SH-58MFDL  | WR159          | 45.5X25.5X3.5         |
| SH-18MFD  | WR510          | 136X72X5              | SH-70MFD   | WR137          | 41.2X22.2X4.9         |
| SH-22MFD  | WR430          | 117X63X5              | SH-70MFDL  | WR137          | 39X20.5X3.53          |
| SH-26MFDL | WR340          | 94X51.5X5             | SH-84MFD   | WR112          | 4.9X19X4.93           |
| SH-32MFDL | WR284          | 77X75.5X3.5           | SH-84MFDL  | WR112          | 4.9X19X3.3            |
| SH-32MFD  | WR284          | 79.4X41.3X3.5         | SH-100MFD  | WR90           | 28.6X15.9X4.9         |
| SH-40MFDL | WR229          | 63X34.5X3.5           | SH-100MFDL | WR90           | 28X15.5X3.5           |
| SH-48MFDL | WR187          | 53.9X28.5X3.5         | SH-140MFD  | WR62           | 20.6X12.7X4.9         |
| SH-58MFD  | WR159          | 46.7X26.5X4.9         |            |                |                       |

## Accessories

### Waveguide Adjustable Support



| Part No.   | Dimensions(mm)   | Static Bearing |
|------------|------------------|----------------|
| SH-SJPT-X  | 50x40x(37~93)    | 40(kg)         |
| SH-SJPT-Z  | 70x55x(37~138)   | 40(kg)         |
| SH-SJPT-D  | 100x75x(43~182)  | 50(kg)         |
| SH-SJPT-T1 | 140x100x(55~255) | 60(kg)         |
| SH-SJPT-T2 | 160x120x(60~285) | 80(kg)         |